

Prepared for:


Hello Mary


Live Rosin - Garlic Mintz

| | | | |
|--|-------------------------------|-------------------------------|----------------------|
| Batch ID or Lot Number: 052923 | Test: Potency | Reported: 13Jun2024 | USDA License: N/A |
| Matrix: Concentrate | Test ID: T000246324 | Started: 10Jun2024 | Sampler ID: N/A |
| | Method(s): TM14 (HPLC-DAD) | Received: 09Jun2024 | Status: N/A |

| Cannabinoids | LOD (%) | LOQ (%) | Result (%) | Result (mg/g) | Notes |
|--|---------|---------|---------------|---------------|-------|
| Cannabichromene (CBC) | 0.039 | 0.127 | 0.160 | 1.60 | |
| Cannabichromenic Acid (CBCA) | 0.036 | 0.116 | 0.950 | 9.50 | |
| Cannabidiol (CBD) | 0.109 | 0.333 | ND | ND | |
| Cannabidiolic Acid (CBDA) | 0.112 | 0.341 | <LOQ | <LOQ | |
| Cannabidivarin (CBDV) | 0.026 | 0.079 | ND | ND | |
| Cannabidivarinic Acid (CBDVA) | 0.047 | 0.142 | ND | ND | |
| Cannabigerol (CBG) | 0.022 | 0.072 | 0.390 | 3.90 | |
| Cannabigerolic Acid (CBGA) | 0.094 | 0.301 | 2.810 | 28.10 | |
| Cannabinol (CBN) | 0.029 | 0.094 | ND | ND | |
| Cannabinolic Acid (CBNA) | 0.064 | 0.205 | ND | ND | |
| Delta 8-Tetrahydrocannabinol (Delta 8-THC) | 0.112 | 0.358 | ND | ND | |
| Delta 9-Tetrahydrocannabinol (Delta 9-THC) | 0.101 | 0.325 | 0.291 | 2.91 | |
| Delta 9-Tetrahydrocannabinolic Acid (THCA-A) | 0.090 | 0.288 | 73.81 | 731.90 | |
| Tetrahydrocannabivarin (THCV) | 0.020 | 0.065 | ND | ND | |
| Tetrahydrocannabivarinic Acid (THCVA) | 0.079 | 0.254 | ND | ND | |
| Total Cannabinoids | | | 78.411 | 777.91 | |

Final Approval


 Sam Smith
 13Jun2024
 12:06:00 PM MDT
 PREPARED BY / DATE


 Karen Winterheimer
 13Jun2024
 12:18:00 PM MDT
 APPROVED BY / DATE

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
 f2e27ea4a9aa417d9e74cd41e1fefa39.1